

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2	((fe adj alloy)with (chromium Cr) and (vicker adj hardness)	US-PGPUB; USPAT	OR	OFF	2005/04/13 14:26
L4	1	("6489709").PN.	US-PGPUB; USPAT	OR	OFF	2005/04/13 14:42
L5	2681	engine and (spark adj plug)and (vibration)	US-PGPUB; USPAT	OR	ON	2005/04/13 14:46
L6	0	(engine with vibration with "10G")and (spark adj plug)	US-PGPUB; USPAT	OR	ON	2005/04/13 14:46
L7	0	(engine with vibration with "10G")and (spark adj plug)	EPO; JPO; DERWENT	OR	ON	2005/04/13 15:32
L8	1	("5294134").PN.	US-PGPUB; USPAT	OR	OFF	2005/04/13 15:34
L9	235	(277/595).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/04/13 15:35
L10	1664	(313/118,144,143).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/04/13 15:36
L11	471	(123/169R).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/04/13 15:36
S1	1691	(spark adj plug)and gasket and engine	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 17:06
S2	2	(carbon adj steel)with (vicker adj hardness)	US-PGPUB; USPAT	OR	OFF	2005/04/12 17:08
S3	7	("3529837" "3879043" "3948532" "4168839" "4989557" "5760533").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/12 17:13
S4	4	("4168839").URPN.	USPAT	OR	OFF	2005/04/12 17:18
S5	12	("4813692").URPN.	USPAT	OR	OFF	2005/04/12 17:23
S6	0	(gasket (sealing adj ring))with (hardness)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 18:14
S7	0	(gasket (sealing adj ring))and (hardness)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 17:24
S8	8239	(gasket (sealing adj ring))and (hardness)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 17:25
S9	160	(gasket (sealing adj ring))and (vicker adj hardness)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 18:09

S10	1138	(gasket (sealing adj ring))with (hardness)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 18:18
S11	34	(gasket (sealing adj ring))with (vicker adj hardness)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 18:20
S12	95	((spark adj plug)(ignition adj plug))and (gasket (sealing adj ring)) and (sus)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 18:22
S13	10	((spark adj plug)(ignition adj plug))and (gasket (sealing adj ring)) and ((vicker adj hardness)Hv)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 18:25
S14	0	((spark adj plug)(ignition adj plug))and ((gasket (sealing adj ring)) with (sus adj "301"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 18:26
S15	4	((spark adj plug)(ignition adj plug))and ((gasket (sealing adj ring)) with (sus adj "304"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 18:26
S16	0	(sus adj "304")with (vicker adj hardness)	US-PGPUB; USPAT	OR	OFF	2005/04/12 18:48
S17	138	(sus adj "304")and (vicker adj hardness)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 18:53
S18	22	(313/119).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/04/12 18:55
S19	3	("313"/\$.ccls.)and (gasket (sealing adj ring))and spark and (vicker adj hardness)	US-PGPUB; USPAT	OR	ON	2005/04/12 18:57
S20	0	("123"/\$.ccls.)and (gasket (sealing adj ring))and spark and (vicker adj hardness)	US-PGPUB; USPAT	OR	ON	2005/04/12 18:57
S21	1	("123"/\$.ccls.)and (gasket (sealing adj ring)) and (vicker adj hardness)	US-PGPUB; USPAT	OR	ON	2005/04/12 18:58
S22	0	("445"/\$.ccls.)and (gasket (sealing adj ring))and spark and (vicker adj hardness)	US-PGPUB; USPAT	OR	ON	2005/04/12 18:58
S23	488	(313/135).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/04/12 19:02
S24	2	"2001164138"	EPO; JPO; DERWENT	OR	OFF	2005/04/12 19:03

S25	2	"2000164138"	EPO; JPO; DERWENT	OR	OFF	2005/04/12 19:03
S26	2	"2000164318"	EPO; JPO; DERWENT	OR	OFF	2005/04/13 13:42
S27	156	(spark adj plug)and (gasket)	EPO; JPO; DERWENT	OR	ON	2005/04/12 19:11
S28	0	(spark adj plug)and (gasket)and (chromium Cr) and (Fe adj alloy)	EPO; JPO; DERWENT	OR	ON	2005/04/12 19:11
S29	0	(spark adj plug)and (gasket)and (Cr) and (Fe adj alloy)	EPO; JPO; DERWENT	OR	ON	2005/04/12 19:12